

Dnro TRAFICOM/881368/03.04.03.00/2025

Issued: 1 January 2027
Date of entry into force: 1 January 2027
In force: Until further notice

Legal basis:
Vehicles Act (82/2021), Sections 99(3) and 118(5)

Amendment information:
The Regulation repeals the Regulation of the Finnish Transport and Communications Agency of 16/12/2024 on the dimensions and other technical characteristics of registration plates and transfer signs (TRAFICOM/65798/03.04.03.00/2024).

Dimensions and other technical characteristics of registration plates and transfer signs

Contents

Dimensions and other technical characteristics of registration plates and transfer signs.....	1
1 Scope.....	2
2 Definitions.....	2
3 Dimensions and colours of registration plates.....	2
3.1 Vehicle registration plates.....	2
3.2 Trailer registration plates.....	3
3.3 Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles.....	4
3.4 Registration plates of mopeds and light quadricycles.....	4
3.5 Registration plates of snowmobiles and heavy snowmobiles.....	4
3.6 Registration plates of tractors and motorised work machinery.....	5
3.7 Registration plates of the official vehicles for diplomatic missions and consular posts and other offices of similar status as well as the vehicles for diplomatic agents, career consular officers and persons of equivalent rank.....	5
3.8 Registration plates of export-registered vehicles.....	5
3.9 Test plates.....	6
3.10 Taxi number plate.....	6
4 Technical characteristics of the registration plates as well as dimensions and colours of the registration number and international vehicle registration code.....	8
4.1 Material of registration plates.....	8
4.2 Registration plate font.....	9
4.3 Dimensions of the registration number and the international vehicle registration code FIN.....	9
4.4 Colour of the border on the registration number and registration plate.....	11
5 Transfer badges.....	11
5.1 Dimensions and other technical characteristics of transfer badges for vehicles, trailers and tractors.....	11
5.2 Dimensions and other technical characteristics of transfer badges for motorcycles and mopeds.....	11
Annexes.....	12

1 Scope

The Finnish Transport and Communications Agency issues, by this regulation, the detailed provisions referred to in section 99(3) and section 118(5) of the Vehicles Act concerning the dimensions and other technical characteristics of vehicle registration plates and transfer badges issued in Finland.

2 Definitions

For the purposes of this regulation:

1. *International vehicle registration code FIN* means the distinguishing sign referred to in Council Regulation (EC) No 2411/98 on the recognition in intra-Community traffic of the distinguishing sign of the Member State in which motor vehicles and their trailers are registered, which in Finland is FIN;
2. *International vehicle registration code* means the sign on the registration plate with 12 retro-reflecting yellow stars on a retro-reflecting blue background and retro-reflecting distinguishing sign of the country of registration of white colour;
3. *Registration number* means the series of letters and numbers on the registration plate or transfer sign and separated with a dash.

3 Dimensions and colours of registration plates

Unless otherwise specified below, a tolerance of ± 1 mm is applied to the dimensions of the registration plate.

3.1 Vehicle registration plates

3.1.1 Vehicle registration plates with the international vehicle registration code

Vehicle registration plates with the international vehicle registration code shall be 118 mm high and 442 mm wide. Letters and numbers shall be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 100 mm high and 45 mm wide.

Vehicle registration plates with the international vehicle registration code may also be 200 mm high and 256 mm wide. In this case, the letters shall be on the top line and the numbers on the bottom line. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be displayed on the extreme left of the plate. The international vehicle registration code shall be 85 mm high and 45 mm wide.

3.1.2 Vehicle registration plates without the international vehicle registration code

Vehicle registration plates without the international vehicle registration code shall be 118 mm high and 397 mm wide, 118 mm high and 338 mm wide or 112 mm high and 300 mm wide. Letters and numbers shall be separated by a dash.

Museum-registered vehicle registration plates and other black vehicle registration plates shall be 118 mm high and 338 mm wide or 118 mm high and 397 mm wide. Letters and numbers shall be separated by a dash.

3.2 Trailer registration plates

3.2.1 Trailer registration plates with the international vehicle registration code

Trailer registration plates with the international vehicle registration code shall be 118 mm high and 442 mm wide. Letters and numbers shall be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 100 mm high and 45 mm wide.

Trailer registration plates with the international vehicle registration code may also be 200 mm high and 256 mm wide. In this case, the letters shall be on the top line and the numbers on the bottom line. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be displayed on the extreme left of the plate. The international vehicle registration code shall be 85 mm high and 45 mm wide.

3.2.2 Trailer registration plates without the international vehicle registration code

Trailer registration plates without the international vehicle registration code shall be 118 mm high and 397 mm wide. Letters and numbers shall be separated by a dash. The background colour of trailer registration plates without the international vehicle registration code may be of white retro-reflective colour or black non-reflective colour.

3.3 Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles

3.3.1 Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles with the international vehicle registration code

Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles with the international vehicle registration code shall be 200 mm high and 165 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 85 mm high and 45 mm wide.

3.3.2 Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles without the international vehicle registration code

Registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles without the international vehicle registration code shall be 200 mm high and 165 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash. The background colour of the registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles without the international vehicle registration code may be of a white retro-reflective colour or a black non-reflective colour.

Registration plates of museum-registered motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles and other low black registration plates shall be 118 mm high and 280 mm wide or 200 mm high and 165 mm wide. Letters and numbers shall be separated by a dash.

3.4 Registration plates of mopeds and light quadricycles

Registration plates of mopeds and light snowmobiles shall be 110 mm high and 124 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

3.5 Registration plates of snowmobiles and heavy snowmobiles

Registration plates of snowmobiles and heavy snowmobiles shall be 110 mm high and 124 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

3.6 Registration plates of tractors and motorised work machinery

Registration plates of tractors and power-driven machines shall be 118 mm high and 338 mm wide (maximum 5 characters) or 118 mm high and 397 mm wide (maximum 6 characters). The former registration plates of 118 mm in height and 338 mm in width shall be used when the registration plates have less than 6 characters. Letters and numbers shall be separated by a dash.

The registration plates of tractors and power-driven machines may also be 152 mm high and 220 mm wide (maximum 6 characters). Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

3.7 Registration plates of the official vehicles for diplomatic missions and consular posts and other offices of similar status as well as the vehicles for diplomatic agents, career consular officers and persons of equivalent rank

Registration plates of the official vehicles for diplomatic missions and consular posts and other offices of similar status as well as the vehicles for diplomatic agents, career consular officers and persons of equivalent rank shall be 118 mm high and 397 mm wide or 112 mm high and 300 mm wide.

Registration plates of the official vehicles for diplomatic missions and consular posts and other offices of similar status as well as the motorcycles for diplomatic agents, career consular officers and persons of equivalent rank shall be 200 mm and 165 mm wide.

Diplomatic plates can also be issued for means of transport other than vehicles and motorcycles.

3.8 Registration plates of export-registered vehicles

3.8.1 Registration plates of export-registered vehicles

Registration plates of export-registered vehicles shall be 118 mm high and 442 mm wide. Letters and numbers shall be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 100 mm high and 45 mm wide.

Export-registered vehicles shall have a date marking indicating the expiry of the right to use plate, the month and the year in white characters on a red retro-reflective background on the right-hand edge. The space reserved for date marking shall be 118 mm high and 53 mm wide. The marking indicating the month shall be on the top line and the marking indicating the year shall be on the bottom line.

The second registration plate of an export-registered vehicle can also be 200 mm high and 256 mm wide. The letters shall be on the top line and the numbers on the bottom line. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be displayed on the extreme left of the plate. The international vehicle registration code shall be 85 mm high and 45 mm wide.

Export-registered vehicles shall have a date marking on the right edge of the 200 mm high and 256 mm wide registration plate indicating the expiry of the right to use the plate, the month and the year in white characters on a red retro-reflective background. The space reserved for date marking shall be 200 mm high and 53 mm wide. The marking indicating the month shall be on the top line and the marking indicating the year shall be on the bottom line.

3.8.2 Registration plates of export-registered motorcycles

Registration plates of export-registered motorcycles shall be 200 mm high and 165 mm wide. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 85 mm high and 45 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

Export-registered motorcycles shall have a date marking indicating the expiry of the right to use plate, the month and the year in white characters on a red retro-reflective background on the right-hand edge. The space reserved for date marking shall be 200 mm high and 53 mm wide. The marking indicating the month shall be on the top line and the marking indicating the year shall be on the bottom line.

3.9 Test plates

The international vehicle registration code on test plates shall be 118 mm high and 338 mm wide. Test number plates shall have the letters TEST plate on the left-hand edge of the plate positioned vertically below each other. The letters in the word TEST shall be 22 mm high and 13 mm wide. Letters and numbers shall be separated by a dash.

3.10 Taxi number plate

3.10.1 Car taxi plates

3.10.1.1 Car taxi plates with the international vehicle registration code

Car taxi plates with the international vehicle registration code shall be 118 mm high and 442 mm wide. Letters and numbers shall be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 100 mm high and 45 mm wide.

Car taxi plates with the international vehicle registration code may also be 200 mm high and 256 mm wide. In this case, the letters shall be on the top line and the numbers on the bottom line. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be displayed on the extreme left of the plate. The international vehicle registration code shall be 85 mm high and 45 mm wide.

3.10.1.2 Car taxi plates without the international vehicle registration code

Car taxi plates without the international vehicle registration code shall be 118 mm high and 397 mm wide, 118 mm high and 338 mm wide or 112 mm high and 300 mm wide. Letters and numbers shall be separated by a dash.

3.10.2 Taxi plates for three-wheel vehicles and heavy quadricycles

3.10.2.1 Taxi plates for three-wheel vehicles and heavy quadricycles with an international vehicle registration code

Registration plates of three-wheel vehicles and heavy quadricycles with the international vehicle registration code shall be 200 mm high and 165 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash. The international vehicle registration code shall be placed on the plate at the extreme left on a blue retro-reflective background. The international vehicle registration code shall be 85 mm high and 45 mm wide.

3.10.2.2 Taxi plates for three-wheel vehicles and heavy quadricycles without an international vehicle registration code

Registration plates of three-wheel vehicles and heavy quadricycles without the international vehicle registration code shall be 200 mm high and 165 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

3.10.2.3 Taxi plates for light quadricycles

Registration plates of light quadricycles shall be 110 mm high and 124 mm wide. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

4 Technical characteristics of the registration plates as well as dimensions and colours of the registration number and international vehicle registration code

4.1 Material of registration plates

4.1.1 Plate blanks

Vehicle registration plates shall be made of aluminium of 1 mm (± 0.05 mm) in thickness.

The following registration plates are manufactured with mounting holes and cannot be obtained without mounting holes:

- the registration plate of the car and trailer and the taxi plate of the car with an international vehicle registration code
- the registration plate for motorcycles, tricycles, quadricycles and heavy quadricycles and the taxi plate for three-wheel vehicles and heavy quadricycles with international vehicle registration code
- moped and light quadricycle registration plate and light quadricycle taxi plate
- registration plates low (118 mm x 338 mm and 118 mm x 397 mm) of tractors and power-driven machines
- registration plates of snowmobiles and heavy snowmobiles
- registration plates of export-registered vehicles and export-registered motorcycles
- test plates

The following registration plates are manufactured with mounting holes but may also be produced without mounting holes on request:

- white-background registration plates for cars, trailers and motorcycles, as well as long and short taxi plates for cars without an international vehicle registration code
- black registration plates of vehicles and trailers
- black / high (200 mm x 165 mm) registration plates of motorcycles
- diplomatic plates (118 mm x 397 mm) of vehicles

The following registration plates cannot be manufactured with mounting holes:

- white-background registration plate and a small taxi plate (112 mm x 300 mm)
- black / low (118 mm x 280 mm) registration plates of motorcycles

- high registration plates (152 mm x 220 mm) of tractors and power-driven machines
- diplomatic plates (112 mm x 300) of vehicles
- diplomatic plates of motorcycles

4.1.2 Reflective sheeting

Registration plates may, depending on the plate type, have a white, black, yellow, or blue background, or the background colour of the taxi plate as provided in section 16 of the Government Decree on Vehicles (162/2021). A registration plate with a white, yellow, blue, or the taxi-plate background colour as provided in section 16 of the Government Decree on Vehicles (162/2021) must have a reflective sheeting on its surface. Reflective sheeting shall comply with the ISO (7591-1982) standard. Black registration plates should not have reflective sheeting.

4.1.3 A hot-stamped non-reflective surface shall be used on the registration number and the border around the plate

The registration number and the border on the registration plate shall be raised above the surface by embossing. The embossing height shall be 1-1.5 mm. The letters, numbers, dash and border on the registration plate shall be covered with a hot-stamped non-reflective topcoat.

The border on the registration plate shall be 3 mm (± 0.5 mm) wide and the margin of the border framing the plate shall be 5 mm (± 1 mm) from the edge. The border shall be of the same colour as the distinguishing sign and raised by embossing from the surface to the same height with the registration plate.

4.2 Registration plate font

The registration number on the registration plate shall comply with the fonts in Annexes 1-5.

The numbers indicating the validity period on the registration plate of export-registered vehicle shall comply with the fonts in Annex 6.

4.3 Dimensions of the registration number and the international vehicle registration code FIN

The height of the letters and numbers on the registration number on the registration plates and taxi plates shall always be 72 mm. The letters should not be more than 49 mm in width. The numbers should not be more than 48 mm in width. The stroke width of letters and numbers must be 11 mm. The dash separating letters and numbers shall be 12.5 mm high and 13.5 mm wide. The international vehicle registration code FIN shall be 20 mm high.

The letters and numbers on the registration number on the vehicle registration plate and small taxi plate of 112 mm in height and 300 mm in width shall be 56 mm high. The letters should not be more than 34 mm in width. The numbers should not be more than 34 mm in width. The stroke width of letters and numbers must be 8 mm. The dash separating letters and numbers shall be 10 mm high and 10.5 mm wide.

The height of the letters and numbers on the registration plates of motorcycles, three-wheel vehicles, quadricycles and heavy quadricycles as well as the registration number on the taxi plates of three-wheel vehicles and heavy quadricycles shall always be 70 mm. The letters should not be more than 40 mm in width. The numbers should not be more than 40 mm in width. The stroke width of letters and numbers must be 9 mm. The international vehicle registration code FIN shall be 20 mm high.

Letters and numbers on the registration number on the registration plates of motorcycles, light quadricycles and snowmobiles and light quadricycle taxi plates shall not be less than 35 mm in height and not less than 24 mm in width. The stroke width of letters and numbers must be 5 mm.

The letters and numbers on the registration number on a tractor or a motorised work machinery registration plate of 118 mm in height and 338 or 397 mm in width shall be 72 mm high. The letters should not be more than 49 mm in width. The numbers should not be more than 48 mm in width. The stroke width of letters and numbers must be 11 mm. The dash separating letters and numbers shall be 12.5 mm high and 13.5 mm wide.

The letters and numbers on the registration number on the tractor or motorised machinery registration plate of 152 mm in height and 220 mm in width shall be 56 mm high. The letters should not be more than 34 mm in width. The numbers should not be more than 34 mm in width. The stroke width of letters and numbers must be 8 mm. The dash separating letters and numbers shall be 10 mm high and 10.5 mm wide.

The height of the letters and numbers on the registration number on the registration plates of museum-registered motorcycles and low black registration plates of motorcycles shall always be 70 mm. Letters and number should not be more than 40 mm in width. The stroke width of letters and numbers must be 8 mm. The dash separating letters and numbers shall be 9 mm high and 10 mm wide.

4.4 Colour of the border on the registration number and registration plate

The colour of the registration number and the borderline of the registration plate must be black on a registration plate with a white, yellow, or [the colour of the taxi plate specified in section 16 of the Government Decree on Vehicles (162/2021)] background.

The border of the registration number and the registration plate shall be of a white colour on black registration plates and blue diplomatic plates.

5 Transfer badges

5.1 Dimensions and other technical characteristics of transfer badges for vehicles, trailers and tractors

Transfer badges for vehicles, trailers and tractors shall be 100 mm high and 290 mm wide. Transfer badges shall be made on a white non-reflective background and shall not have the international vehicle registration code.

The font for transfer badges shall be Arial Narrow, bold. The font size is 218p.

Letters and numbers on the registration number on transfer badges shall not be less than 50 mm and not more than 70 mm in height. Letters and numbers on the registration number on transfer badges shall not be less than 27 mm and not more than 43 mm in width. Letters and numbers shall be separated by a dash.

Transfer badges shall be made of recyclable polypropylene and have a double-sided mounting surface.

5.2 Dimensions and other technical characteristics of transfer badges for motorcycles and mopeds

Transfer badges for motorcycles and mopeds shall be 120 mm high and 120 mm wide. Transfer badges shall be made on a white non-reflective background and shall not have the international vehicle registration code.

The font for transfer badges shall be Arial Narrow, bold. The font size shall be 170p.

Letters and numbers on the registration number on transfer badges shall not be less than 38 mm in height and not less than 25 mm in width. Letters and numbers shall be on two lines. Letters and numbers should not be separated by a dash.

Transfer badges shall be made of recyclable polypropylene and have a single-sided mounting surface.

Helsinki, (dd) (mm) 20(yy)

First name Last name

title

First name Last name

title

Annexes

Annex 1: Registration plate font, letters 72 mm

Annex 2: Registration plate font, numbers 72 mm

Annex 3: Registration plate font, letters and numbers 70 mm

Annex 4: Registration plate font, letters and numbers 56 mm

Annex 5: Registration plate font, letters and numbers 35 mm

Annex 6: Font for numbers indicating validity period for the export-registered vehicle

Annex 7: Transfer badge font, letters and numbers

Annex 8: Dimensions of the registration plates and transfer badges issued in Finland

Finnish Transport and Communications Agency Traficom

P.O. Box 320
00059 TRAFICOM
Tel. 029 534 5000
traficom.fi